



HOME THEATER SYSTEM 5.1CH

PRODUCT HIGHLIGHTS

- 160 watts per channel
- Supports 4K/60p and HDR (HDR10, HLG, Dolby Vision®, BT.2020)
- 5.2.2-ch Dolby Atmos® and DTS:X® playback
- Dolby Atmos Height Virtualizer™ and DTS Virtual:X®
- AccuEQ with subwoofer EQ and AccuReflex™
- Discrete high-current amp system with 4-ohm drive capability
- Bluetooth® technology and Advanced Music Optimizer™
- Vocal Enhancer function improves voice audibility
- Zone B pre-line-out shares any audio source to components with an RCA input, such as wireless headphone docks, etc.
- OSD window shows media format data for quick confirmation

* Enabled with a future firmware update.



TX-SR494 + ASW610 + M-1

PACKAGE PRICE

P175,000

Bowers & Wilkins

ONKYO



5.1CH

Surround Sound Setup



M1
RearSpeaker
20W - 100W into 8Ω



ASW610
Subwoofer
200-watt




TX-SR494
7.2Ch Receiver
80 W/Ch into 8Ω

Home Theater Speaker Guide



Optimize your sound system that includes Dolby Atmos® technology with this step-by-step guide to the best speaker setup.



SPEAKER PLACEMENT FOR 5.1 SETUP

5.1 Virtual Speakers

1. Seating position
2. Left & right speakers
3. Center speaker
4. Subwoofer
5. Left & right surround speakers

Dolby Atmos speaker setups: What do these numbers mean?

When shopping for Dolby Atmos home theater components, you'll see a new way of describing speaker configurations.


5.1

This refers to the number of traditional surround speakers (front, center, surround, etc.)

This number refers to how many powered subwoofers you can connect to your receiver.



PERSPECTIVE DETAIL FOR 5.1 SETUP



VIRTUAL SPEAKER PLACEMENT DETAIL FOR 5.1 SETUP